WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Sunday, March 18, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L11	L9 and "MAC"	1
☐	L10	L9 and "message authentication code"	1
☐	L9	L8 and "hash"	16
☐	L8	"identification tagging" and "tracing"	21
☐	L7	L6 and "processor"	8
☐	L6	L5 and "identifier"	12
☐	L5	L4 and "message authentication code"	28
☐	L4	L1 and "hash"	299
☐	L3	L2 and "cryptographic function"	2
☐	L2	(identification) same (tagging)	3226
☐	L1	(identification) adj (tag$4)	12326

END OF SEARCH HISTORY

Google

Web   Images   Video   News   Maps   more »

hash, message authentication code, calculatin [Search]   Advanced Search
Preferences

Web Results **1 - 6** of **6** for <u>hash</u>, <u>message</u> <u>authentication</u> <u>code</u>, <u>calculating</u>, <u>function</u>, <u>processor</u> "identifica

Tip: Try removing quotes from your search to get more results.

Method and apparatus for **identification tagging** documents in a ...
The **processor** of claim 8 wherein said **function** of a document is a **hash function**. ...
[0023] where MAC represents a **Message Authentication Code function**. ...
www.freepatentsonline.com/20030145207.html - 45k - <u>Cached</u> - <u>Similar pages</u>

[PDF] chnologi
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
tions involved in **calculating** satel-. The GPS satellites carry special- ... 2. "Specifications
for a Secure **Hash**. data **authentication** system is ...
www.osti.gov/bridge/servlets/purl/10143735-Ex7OGh/native/10143735.pdf - <u>Similar pages</u>

[PDF] The CISSP Prep Guide.doc
File Format: PDF/Adobe Acrobat
An HMAC is a **hash** algorithm that uses a key to generate a **Message Authentication**.
Code (MAC). A MAC is a type of check sum that is a **function** of the ...
twins.pmf.ukim.edu.mk/Bezbednost/predavanja/(ebook)%20Wiley%20-%20The%
20CISSP%20Prep%20Guide%20-%20Master... - <u>Similar pages</u>

The Internet Report
This document describes HMAC, a mechanism for **message authentication** using
cryptographic **hash functions**. HMAC can be used with any iterative cryptographic ...
ietfreport.isoc.org/status_informational.html - <u>Similar pages</u>

Internet Drafts Abstracts Index
Key exchange method, public key algorithm, symmetric encryption algorithm, **message**
authentication algorithm, and **hash** algorithm are all negotiated. ...
hegel.ittc.ku.edu/topics/internet/internet-drafts/index-long.html - <u>Similar pages</u>

Smart Convergence
Cisco's competing standard, called Extensible **Authentication** Protocol ... the use of RFID
(radio frequency **identification) tagging** at seven stores and a ...
smartconvergence.blogspot.com/2004_05_02_smartconvergence_archive.html - 319k -
<u>Cached</u> - <u>Similar pages</u>

---

hash, message authentication code, [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google